

AXCOR PROFILE 400

EN PHOTOMETRIC DIAGRAMMS

ES DIAGRAMAS FOTOMÉTRICOS


IT DIAGRAMMI FOTOMETRICI

FR DIAGRAMMES PHOTOMETRIQUES

DE FOTOMETRISCHE DIAGRAMME


Minimum Zoom, AUTO mode (5.3°)

Total Output: 5300 lumens



Minimum Zoom, SLN mode (5.3°)

Total Output: 4200 lumens



AXCOR PROFILE 400

EN PHOTOMETRIC DIAGRAMS

ES DIAGRAMAS FOTOMÉTRICOS


IT DIAGRAMMI FOTOMETRICI

FR DIAGRAMMES PHOTOMETRIQUES

DE FOTOMETRISCHE DIAGRAMME


Minimum Zoom, CONSTANT mode (5.3°)

Total Output: 5400 lumens



Maximum Zoom, AUTO mode (43.3°)

Total Output: 9800 lumens



AXCOR PROFILE 400

EN PHOTOMETRIC DIAGRAMMS

ES DIAGRAMAS FOTOMÉTRICOS


IT DIAGRAMMI FOTOMETRICI

FR DIAGRAMMES PHOTOMETRIQUES

DE FOTOMETRISCHE DIAGRAMME

Maximum Zoom, SLN mode (43.3°)


Total Output: 7200 lumens



Distance	m (ft in)	0	5 (16' 5'')	10 (32' 10'')	15 (49' 3'')	20 (65' 7'')
Diameter	m (ft in)	0	3.97 (13' 0'')	7.93 (26' 0'')	11.90 (39' 1'')	15.87 (52' 1'')

Maximum Zoom, CONSTANT mode (43.3°)

Total Output: 9800 lumens



Distance	m (ft in)	0	5 (16' 5'')	10 (32' 10'')	15 (49' 3'')	20 (65' 7'')
Diameter	m (ft in)	0	3.97 (13' 0'')	7.93 (26' 0'')	11.90 (39' 1'')	15.87 (52' 1'')